(in accordance with Regulation (EU) 2015/830)



### 0200GRAZ-ASTRAL Dichloro Granules 55%

 Version: 3
 Page 1 of 10

 Revision date: 10/02/2020
 Print date: 10/02/2020

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: ASTRAL Dichloro Granules 55%

Product Code: 0200GRAZ

Chemical Name: troclosene sodium, dihydrate

Index No: 613-030-01-7
CAS No: 51580-86-0
EC No: 220-767-7

#### 1.2 Relevant identified uses of the substance and uses advised against.

Desinfectant for pool water.

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

Company: **FLUIDRA COMMERCIAL, S.A.U.**Address: Avda. Francesc Macià, 60, 20ª planta
City: 08208 Sabadell (Barcelona) Spain

Province: Barcelona

Telephone: Tel:34 93 724 39 00 Fax:34 93 724 29 93

Fax: +34 93 713 41 11 E-mail: fds@inquide.com Web: www.astralpool.com

#### 1.4 Emergency telephone number:

Anti poisoning centre: ITALY (Rome): 06/305 43 43 ITALY (Milan): 02/66 10 10 29 SPAIN: +34 91 562 04 20

FRANCE (Paris): 01 40 05 48 48 FRANCE (Tolousse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25

PORTUGÀL: 808 250 143

BELGIQUE (Brussel): (+34) 070 245 245

#### **SECTION 2: HAZARDS IDENTIFICATION.**

### 2.1 Classification of the substance.

In accordance with Regulation (EU) No 1272/2008:

Acute Tox. 4: Harmful if swallowed.

Aquatic Chronic  ${\bf 1}$ : Very toxic to aquatic life with long lasting effects.

Eye Irrit. 2 : Causes serious eye irritation. STOT SE 3 : May cause respiratory irritation. STOT SE 3 : May cause drowsiness or dizziness.

#### 2.2 Label elements.

#### Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:





Signal Word: **Warning** 

(in accordance with Regulation (EU) 2015/830)



### 0200GRAZ-ASTRAL Dichloro Granules 55%

 Version: 3
 Page 2 of 10

 Revision date: 10/02/2020
 Print date: 10/02/2020

H statements:

H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

P statements:

P261 Avoid breathing dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P309+P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

P101 If medical advice is needed, have product container or label at hand. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P102 Keep out of reach of children.

P405 Store locked up. P391 Collect spillage.

P501 Dispose of contents/container in accordance with applicable regulations.

**EUH statements:** 

EUH031 Contact with acids liberates toxic gas.

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Contains:

troclosene sodium, dihydrate

#### 2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

3.1 Substances.

Chemical Name: troclosene sodium, dihydrate

Index No: 613-030-01-7
CAS No: 51580-86-0
EC No: 220-767-7

**3.2 Mixtures.** Not Applicable.

#### **SECTION 4: FIRST AID MEASURES.**

#### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

(in accordance with Regulation (EU) 2015/830)



### 0200GRAZ-ASTRAL Dichloro Granules 55%

Version: 3 Page 3 of 10 Revision date: 10/02/2020 Print date: 10/02/2020

Irritant Product, repeated or prolonged contact with skin or mucous membranes can cause redness, blisters or dermatitis, inhalation of spray mist or particles in suspension may cause irritation of the respiratory tract, some symptoms may not be immediate

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract.

#### **SECTION 5: FIREFIGHTING MEASURES.**

The product does not present any particular risk in case of fire.

#### 5.1 Extinguishing media.

### Suitable extinguishing media:

CO2 in small fires and water in large quantities (small amounts of water may aggravate the situation).

#### Unsuitable extinguishing media:

Powder, Halogenated hydrocarbon, ABC powder.

#### 5.2 Special hazards arising from the substance.

#### Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

### 6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

### 6.3 Methods and material for containment and cleaning up.

The contaminated area should be immediately cleaned with an appropriate de-contaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

### **SECTION 7: HANDLING AND STORAGE.**

#### 7.1 Precautions for safe handling.

For personal protection, see section 8. Never use pressure to empty the containers. They are not pressure-resistant containers. In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Keep the product in containers made of a material identical to the original.

(in accordance with Regulation (EU) 2015/830)



### 0200GRAZ-ASTRAL Dichloro Granules 55%

 Version: 3
 Page 4 of 10

 Revision date: 10/02/2020
 Print date: 10/02/2020

#### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers at room temperature, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III):

		Qualifying quantity (tonnes) for the application of	
Code	Description	Lower-tier requirements	Upper-tier requirements
E1	ENVIRONMENTAL HAZARDS - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1	100	200

#### 7.3 Specific end use(s).

None in particular.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

#### 8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
troclosene sodium, dihydrate	DNEL	Inhalation, Long-term, Systemic effects	8,11
CAS No: 51580-86-0	(Workers)		(mg/m <sup>3</sup> )
EC No: 220-767-7			

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

CAS: 51580-86-0

TLV TWA - 0.5 ppm (1.5 mg/m3) Cl gas TLV STEL - 1 ppm (3.0 mg/m3) Cl gas

#### 8.2 Exposure controls.

#### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %
Uses:	Desinfectant for pool water.
<b>Breathing protecti</b>	on:
PPE:	Filter mask for protection against gases and particles.
Characteristics:	«CE» marking, category III. The mask must have a wide field of vision and an anatomically designed form in order to be sealed and watertight.
CEN standards:	EN 136, EN 140, EN 405
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.
Observations:	Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.
Filter Type needed:	A2
Hand protection:	
PPE: Characteristics:	Protective gloves against chemicals.  «CE» marking, category III.
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420

(in accordance with Regulation (EU) 2015/830)



### 0200GRAZ-ASTRAL Dichloro Granules 55%

Version: 3 Page 5 of 10 Revision date: 10/02/2020 Print date: 10/02/2020

Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Maintenance: Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Observations: Always use with clean, dry hands. Breakthrough time Material thickness PVC (polyvinyl chloride) > 480 0,35 Material: (min.): (mm): Eye protection: PPE: Protective goggles with built-in frame. «CE» marking, category II. Eye protector with built-in frame for protection against Characteristics: dust, smoke, fog and vapour. CEN standards: EN 165, EN 166, EN 167, EN 168 Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should Maintenance: be disinfected periodically following the manufacturer's instructions. Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, Observations: scraping etc. Skin protection: Chemical protective clothing PPE: «CE» marking, category III. Clothing should fit properly. The level of protection Characteristics: must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes for the chemical to pass through the material. CEN standards: EN 464,EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by Maintenance: the manufacturer. The protective clothing's design should facilitate correct positioning, staying in place without moving for Observations: the period of use expected, bearing in mind environmental factors as well as any movement or position the user might adopt while carrying out the activity. PPF. Work footwear. «CE» marking, category II. EN ISO 13287, EN 20347 Characteristics: CEN standards: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should Maintenance: not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any Observations: injury resulting from an accident

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

#### 9.1 Information on basic physical and chemical properties.

Appearance: Granulate

Colour: White

Odour:Similar to bleach Odour threshold: N.A./N.A. pH:6 - 7 (25 °C) (1%) Melting point:250 °C Boiling Point: N.A./N.A. Flash point: No inflamable °C Evaporation rate: N.A./N.A. Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: N.A./N.A.

Upper Explosive Limit: N.A./N.A.

Vapour pressure: N.A./N.A. Vapour density: N.A./N.A. Relative density:0.91 (25 °C) g/cm<sup>3</sup>

Solubility:28g / 100ml

Liposolubility: N.A./N.A. Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): - 0.0556 Auto-ignition temperature: N.A./N.A. Decomposition temperature: N.A./N.A.

Viscosity: N.A./N.A.

Explosive properties: N.A./N.A. Oxidizing properties: No

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

(in accordance with Regulation (EU) 2015/830)



### 0200GRAZ-ASTRAL Dichloro Granules 55%

Version: 3 Page 6 of 10 Revision date: 10/02/2020 Print date: 10/02/2020

#### 9.2 Other information.

Pour point: N.A./N.A. Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

#### **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

Contact with acids liberates toxic gas.

#### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions.

Hydrogen peroxide reacts violently, but releases O2 (oxygen).

When it reacts with alcohols, in particular, with lauric alcohol, it remains latent for a few minutes, and will then react violently, producing flames and black smoke.

#### 10.4 Conditions to avoid.

Avoid any improper handling.

#### 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions. Metals, acetic acid and anhydre, alcohols (methyl, ethyl, isopropyl...), non-satured aliphatic and aromatic compounds, amides, amines, ammoniac and ammonium salts (polyquats or quaternary ammonium salts), biuret, calcium hypochlorite, dimetylhydrazine, esters, fungicides, glycerine, oils and fats, paint, peroxides (of hydrogen, sodium, calcium, magnesium...), phenols, solvents (toluenes, xylenes, turpentine...), surfactants and surface tension agents, reducing agents (sulphites, sulphides, bisulphites, tiosulphates and nitrates).

#### 10.6 Hazardous decomposition products.

When wet, it gives off Cl2 (gaseous chlorine) and NCl3 (trichloramine).

In the presence of ammonia gas or ammoniacal solutions, dangerous quantities of NCI3, a highly explosive gas, are generated.

Adding oils and grease will cause the product to break down, generating CI2 and CO2.

When it reacts with ethers, cyanuric acid and chlorinated ethers are generated.

#### **SECTION 11: TOXICOLOGICAL INFORMATION.**

IRRITANT MIXTURE. Splatters in the eyes can cause irritation.

IRRITANT MIXTURE. The inhalation of spray mist or suspended particulates can irritate the respiratory tract. It can also cause serious respiratory difficulties, central nervous system disorders, and in extreme cases, unconsciousness.

### 11.1 Information on toxicological effects.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

#### Toxicological information.

Name	Acute toxicity				
Name	Туре	Test	Kind	Value	
		LD50	Rat	1671 mg/kg [1]	
	Oral				
		[1] EPA OPP 81-1			
troclosene sodium, dihydrate		LD50	Rat	> 5000 mg/kg [1]	
	Dermal				
		[1] EPA OP	P 81-2		
CAS No: 51580-86-0 EC No: 220-767-7	Inhalation				

a) acute toxicity;

Product classified:

Acute toxicity (Oral), Category 4: Harmful if swallowed.

(in accordance with Regulation (EU) 2015/830)



### 0200GRAZ-ASTRAL Dichloro Granules 55%

 Version: 3
 Page 7 of 10

 Revision date: 10/02/2020
 Print date: 10/02/2020

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Product classified:

Eye irritation, Category 2: Causes serious eye irritation.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Product classified:

Specific target organ toxicity following a single exposure, Category 3:

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

#### **SECTION 12: ECOLOGICAL INFORMATION.**

#### 12.1 Toxicity.

Name	Ecotoxicity			
Name	Туре	Test	Kind	Value
	Fish			
troclosene sodium, dihydrate	Aquatic invertebrates	EC50	Daphnia	0.196 mg/l
CAS No: 51580-86-0 EC No: 220-767-7	Aquatic plants			

### 12.2 Persistence and degradability.

There is no information available on the degradability of the substances present.

No information is available regarding the degradability.No information is available about persistence and degradability of the product.

#### 12.3 Bioaccumulative potencial.

No information is available regarding the bioaccumulation.

#### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

#### 12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

(in accordance with Regulation (EU) 2015/830)



### 0200GRAZ-ASTRAL Dichloro Granules 55%

 Version: 3
 Page 8 of 10

 Revision date: 10/02/2020
 Print date: 10/02/2020

#### **SECTION 13 DISPOSAL CONSIDERATIONS.**

#### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

#### **SECTION 14: TRANSPORT INFORMATION.**

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

**Land:** Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

<u>Sea</u>: Transport by ship: IMDG. Transport documentation: Bill of lading <u>Air</u>: Transport by plane: ICAO/IATA. Transport document: Airway bill.

## **14.1 UN number.** UN No: UN3077

#### 14.2 UN proper shipping name.

Description:

ADR: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS TROCLOSENE SODIUM,

DIHYDRATE), 9, PG III, (-)

IMDG: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS TROCLOSENE SODIUM,

DIHYDRATE), 9, PG III (No inflamable C), MARINE POLLUTANT

ICAO/IATA: UN 3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS TROCLOSENE SODIUM,

DIHYDRATE), 9, PG III

#### 14.3 Transport hazard class(es).

Class(es): 9

#### 14.4 Packing group.

Packing group: III

#### 14.5 Environmental hazards.

Marine pollutant: Yes



Dangerous for the environment

#### 14.6 Special precautions for user.

Labels: 9



Hazard number: 90 ADR LQ: 5 kg IMDG LQ: 5 kg ICAO LQ: 30 kg B

(in accordance with Regulation (EU) 2015/830)



### 0200GRAZ-ASTRAL Dichloro Granules 55%

Version: 3 Page 9 of 10 Revision date: 10/02/2020 Print date: 10/02/2020

Provisions concerning carriage in bulk ADR:

VC1 Carriage in bulk in sheeted vehicles, sheeted containers or sheeted bulk containers is permitted.

VC2 Carriage in bulk in closed vehicles, closed containers or closed bulk containers is permitted.

Transport by ship, FEm - Emergency sheets (F - Fire, S - Spills): F-A,S-F

Proceed in accordance with point 6.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

The product is not transported in bulk.

#### **SECTION 15: REGULATORY INFORMATION.**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): E1

Information related to Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products:

Product Type	Group
Disinfectants and algaecides not intended for direct application to humans or animals	Disinfectants

Active substances	Concentration %
troclosene sodium, dihydrate	
CAS No: 51580-86-0	25 - 100
EC No: 220-767-7	

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): WGK 2: Hazardous to water. (Autoclassified according to the AwSV Regulations)

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### **SECTION 16: OTHER INFORMATION.**

Classification codes:

Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1: Chronic effect to the aquatic environment, Category 1

Eye Irrit. 2: Eye irritation, Category 2

STOT SE 3: Specific target organ toxicity following a single exposure, Category 3

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AwSV: Facility Regulations for handling substances that are hazardous for the water.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration.
PPE: Personal protection equipment.
IATA: International Air Transport Association.
ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

(in accordance with Regulation (EU) 2015/830)



### 0200GRAZ-ASTRAL Dichloro Granules 55%

 Version: 3
 Page 10 of 10

 Revision date: 10/02/2020
 Print date: 10/02/2020

LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

WGK: Water hazard classes.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2015/830. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.