(in accordance with Regulation (EU) 2020/878)

# ASTRALPOOL 🔨

Page 1 of 12

# **Antialgas abrillantador**

Version 1 Date of compilation: 25/04/2016

Version 5 (replaces version 4) Revision date: 15/06/2022 Print date: 27/06/2022

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

### 1.1 Product identifier.

Product Name: Antialgas abrillantador

### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Algaecide

#### Uses advised against:

Uses other than those recommended.

### 1.3 Details of the supplier of the safety data sheet.

Company: FLUIDRA COMMERCIAL, S.A.U.

Address: Av. Alcalde Barnils, 69

City: 08174 Sant Cugat del Vallès (Barcelona) Spain

Province: Barcelona

Telephone: Tel:34 93 724 39 00 Fax:34 93 724 29 93

Fax: +34 93 713 41 11 E-mail: fds@inquide.com Web: www.astralpool.com

### 1.4 Emergency telephone number: +34 93 724 39 00 (Only available during office hours; Monday-Friday; 08:00-18:00)

Anti poisoning centre:

ITALY (Rome): 06/305 43 43 ITALY (Milan): 02/66 10 10 29 SPAIN: +34 91 562 04 20

FRANCE (Paris): 01 40 05 48 48 FRANCE (Tolousse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25

PORTUGÀL: 808 250 143

BELGIQUE (Brussel): (+34) 070 245 245

CAV accreditati: Roma +39 06 68 59 3726; Foggia +39 800 18 34 59; Napoli +39 081 54 53 333; Roma +39 06 49 97 80 00; Roma +39 06 30 54 343; Firenze +39 055 79 47 819; Pavia +39 0382 24 444; Milano +39 02 66 10 10 29; Bergamo +39 800 88

33 00; Verona +39 800 01 18 58.

### **SECTION 2: HAZARDS IDENTIFICATION.**

### 2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008:

Aquatic Acute 1 : Very toxic to aquatic life. Eye Dam. 1 : Causes serious eye damage.

Skin Corr. 1A: Causes severe skin burns and eye damage. Aquatic Chronic 2: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements.

### Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:





### Signal Word:

### **Danger**

Hazard statements:

H314 Causes severe skin burns and eye damage. H410 Very toxic to aquatic life with long lasting effects.

(in accordance with Regulation (EU) 2020/878)



## **Antialgas abrillantador**

Version 1 Date of compilation: 25/04/2016 Page 2 of 12
Version 5 (replaces version 4) Revision date: 15/06/2022 Print date: 27/06/2022

### Precautionary statements:

P102 Keep out of reach of children.

P405 Store locked up.

P260 Do not breathe vapours.

P280 Wear protective gloves/protective clothing/eye protection.

P264 Wash hands thoroughly after handling. P363 Wash contaminated clothing before reuse.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with applicable regulations.

### Contains:

copper sulphate pentahydrate

quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

#### Active substances:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides, 4%; copper sulphate pentahydrate, 1,5%;

#### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

### 3.1 Substances.

Not Applicable.

### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008		
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate	
CAS No: 68424-85-1 Registration No: 01- 2119965180-41-XXXX	quaternary ammonium compounds,benzyl-C12- 16-alkyldimethyl, chlorides	3 - 5 %	Acute Tox. 4, H302 - Aquatic Acute 1, H400 (M=10) - Aquatic Chronic 1, H410 - Eye Dam. 1, H318 - Met. Corr. 1, H290 - Skin Corr. 1B, H314	-	
Index No: 016-020- 00-8 CAS No: 7664-93-9 EC No: 231-639-5 Registration No: 01- 2119458838-20-XXXX	[1] [2] sulphuric acid	0 - 5 %	Met. Corr. 1, H290 - Skin Corr. 1A, H314	Skin Corr. 1A, H314: C ≥ 15 % Skin Irrit. 2, H315: 5 % ≤ C < 15 % Eye Irrit. 2, H319: 5 % ≤ C < 15 %	

(in accordance with Regulation (EU) 2020/878)

# **Antialgas abrillantador**



Version 1 Date of compilation: 25/04/2016 Page 3 of 12
Version 5 (replaces version 4) Revision date: 15/06/2022 Print date: 27/06/2022

Index No: 029-023- 00-4 CAS No: 7758-99-8 EC No: 231-847-6	copper sulphate pentahydrate	1 - 2.5 %	Acute Tox. 4, H302 - Aquatic Acute 1, H400 (M=10) - Aquatic Chronic 1, H410 - Eye Dam. 1, H318	-
---	------------------------------	-----------	--	---

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

### **SECTION 4: FIRST AID MEASURES.**

### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Contact with eyes may cause irreversible damage.

### 4.3 Indication of any immediate medical attention and special treatment needed.

Request immediate medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

### **SECTION 5: FIREFIGHTING MEASURES.**

The product is NOT classified as flammable, in case of fire the following measures should be taken:

### 5.1 Extinguishing media.

### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

### **Unsuitable extinguishing media:**

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### 5.2 Special hazards arising from the substance or mixture.

### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

### Fire protection equipment.

<sup>[1]</sup> Substance with a European Union exposure limit in the workplace (see section 8.1).

<sup>[2]</sup> Substance with a national workplace exposure limit (see section 8.1).

(in accordance with Regulation (EU) 2020/878)

# Antialgas abrillantador



**Version 1** Date of compilation: 25/04/2016

Page 4 of 12 Version 5 (replaces version 4) Revision date: 15/06/2022 Print date: 27/06/2022

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

### **SECTION 7: HANDLING AND STORAGE.**

### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III):

		Qualifying quant the applic	
Code	Description	Lower-tier requirements	Upper-tier requirements
E1	ENVIRONMENTAL HAZARDS - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1	100	200

### 7.3 Specific end use(s).

None in particular.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

### 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m³
sulphuric acid	7664-93-9	European	Eight hours		0,05
Sulpriuric acid		Union [1]	Short term		

(in accordance with Regulation (EU) 2020/878)



## **Antialgas abrillantador**

Version 1 Date of compilation: 25/04/2016 Page 5 of 12
Version 5 (replaces version 4) Revision date: 15/06/2022 Print date: 27/06/2022

	United Kingdom [2]	Eight hours	0,05	The mist is defined as the thoracic fraction
		Short term		
	I Ifalia I ₹I ⊨	Eight hours		0,05
		Short term		

<sup>[1]</sup> According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
sulphuric acid	DNEL	Inhalation, Chronic, Local effects	0,05
CAS No: 7664-93-9	(Workers)		(mg/m³)
EC No: 231-639-5			

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

### 8.2 Exposure controls.

### **Measures of a technical nature:**

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %			
Uses:	Algaecide			
Breathing protect	tion:			
PPE:	Particle filter mask			
Characteristics:	«CE» marking, category III. Made of filtering material, it covers nose, mouth and chin.			
CEN standards:	EN 149			
Maintenance:	Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use.			
Observations:	Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment.			
Filter Type needed:	P2			
Hand protection:				
PPE:	Protective gloves against chemicals.			
Characteristics:	«CE» marking, category III.			
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420			
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible.  Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.			
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.			
Material:	PVC (polyvinyl chloride) Breakthrough time (min.): Material thickness (mm): 0,35			
Eye protection:				
PPE:	Protective goggles with built-in frame.			
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.			
CEN standards:	EN 165, EN 166, EN 167, EN 168			
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.			
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.			
Skin protection:				
PPE:	Chemical protective clothing			

<sup>[2]</sup> According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.

<sup>[3]</sup> Secondo il Decreto Legislativo del Governo n.277, 15/08/1991, il Decreto Legislativo n.66 ed il Decreto Ministeriale 26/02/2004.

The product does NOT contain substances with Biological Limit Values.

(in accordance with Regulation (EU) 2020/878)

# **Antialgas abrillantador**



**STRAL**POOL

«CE» marking, category III. Clothing should fit properly. The level of protection Characteristics: must be set according to a test parameter called BT (Breakthrough Time), which

indicates how long it takes for the chemical to pass through the material.

EN 464,EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034 CEN standards: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by

Maintenance: the manufacturer.

The protective clothing's design should facilitate correct positioning, staying in place without moving for Observations: the period of use expected, bearing in mind environmental factors as well as any movement or position

the user might adopt while carrying out the activity.

PPF: Work footwear.

Characteristics: «CE» marking, category II. EN ISO 13287, EN 20347 CEN standards:

This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should Maintenance:

not be used by other people.

Work footwear for professional use includes protection elements aimed at protecting users against any Observations:

injury resulting from an accident

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid Colour: Light blue Odour: Characteristic

Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: 95 °C (Estimation based on the indication of the Regulation (CE)

Nº1272/2008.)

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: Not applicable/Not available due to the nature/properties of the product

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product

pH: 1 - 3

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: Not applicable/Not available due to the nature/properties of the product

Hydrosolubility: 100%

Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: 23,653 (Estimation based on the indication of the Regulation (CE) Nº1272/2008.)

Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 0.99 - 1.03

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

### 9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product

Explosive properties: Not applicable/Not available due to the nature/properties of the product

Oxidizing properties: No aplicable

Dropping point: Not applicable/Not available due to the nature/properties of the product

Blink: Not applicable/Not available due to the nature/properties of the product

### **SECTION 10: STABILITY AND REACTIVITY.**

### 10.1 Reactivity.

The product does not present hazards by their reactivity.

### 10.2 Chemical stability.


Unstable in contact with:

Bases.

### 10.3 Possibility of hazardous reactions.

(in accordance with Regulation (EU) 2020/878)

# **Antialgas abrillantador**







Page 7 of 12

Print date: 27/06/2022

Neutralization can occur on contact with bases.

### 10.4 Conditions to avoid.

- Avoid contact with bases.

### 10.5 Incompatible materials.

Avoid the following materials:

- Bases.

### 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Corrosive vapors or gases.

### **SECTION 11: TOXICOLOGICAL INFORMATION.**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

Splatters in the eyes can cause irritation and reversible damage.

### Toxicological information about the substances present in the composition.

Name	Acute toxicity				
Name	Туре	Test	Kind	Value	
C12	Oral	LD50	Rat	795 mg/kg	
quaternary ammonium compounds,benzyl-C12- 16-alkyldimethyl, chlorides	Dermal	LD50	Rat	1560 mg/kg	
CAS No: 68424-85-1 EC No:	Inhalation				
		LD50	Rat	5000 mg/kg bw [1]	
sulphuric acid	Oral	[1] Hoech 85.0427)	st AG (1985)	: Unveroffentl. Unters. (BerNr	
	Dermal				
CAS No: 7664-93-9	Inhalation				

a) acute toxicity;

Not conclusive data for classification.

### b) skin corrosion/irritation;

Product classified:

Skin Corrosive, Category 1A: Causes severe skin burns and eye damage.

### c) serious eye damage/irritation;

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

### d) respiratory or skin sensitisation;

Not conclusive data for classification.

### e) germ cell mutagenicity;

Not conclusive data for classification.

### f) carcinogenicity;

Not conclusive data for classification.

### g) reproductive toxicity;

Not conclusive data for classification.

### h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

(in accordance with Regulation (EU) 2020/878)

# **STRAL**POOL

## **Antialgas abrillantador**

Version 1 Date of compilation: 25/04/2016

Page 8 of 12 Version 5 (replaces version 4) Revision date: 15/06/2022 Print date: 27/06/2022

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

### 11.2 Information on other hazards.

### **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

### Other information

There is no information available on other adverse health effects.

### **SECTION 12: ECOLOGICAL INFORMATION.**

### 12.1 Toxicity.

Name	Ecotoxicity			
Name	Туре	Test	Kind	Value
austomani aranani ma samani mda hamul C13	Fish	LC50	fish	0.85-1.2 mg/L
quaternary ammonium compounds,benzyl-C12- 16-alkyldimethyl, chlorides	Aquatic invertebrates	EC50	Daphnia	0.02 mg/L
CAS No: 68424-85-1 EC No:	Aquatic plants	EC50		0.06 mg/L
		LC50	Gambusia affinis	42 mg/L (96 h) [1]
	Fish	[1] Wallen (6)  695-72		e and Industrial Wastes 29
sulphuric acid		EC50	Daphnia magna	29 mg/L (24 h) [1]
	Aquatic invertebrates			ronnement et du Cadre de is l'environnement (1981)
CAS No: 7664-93-9	Aquatic plants			

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS.**

### 13.1 Waste treatment methods.

(in accordance with Regulation (EU) 2020/878)

# RALPOO

Page 9 of 12

## **Antialgas abrillantador**

**Version 1** Date of compilation: 25/04/2016

Version 5 (replaces version 4) Print date: 27/06/2022 Revision date: 15/06/2022

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

### **SECTION 14: TRANSPORT INFORMATION.**

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG.

Transport documentation: Bill of lading Air: Transport by plane: ICAO/IATA. Transport document: Airway bill.

### 14.1 UN number or ID number.

UN No: UN1760

### 14.2 UN proper shipping name.

Description:

ADR/RID: UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-

ALKYLDIMETHYL, CHLORIDES / SULPHURIC ACID), 8, PG III, (E)

UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES / SULPHURIC ACID / QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES), 8, PG III, MARINE POLLUTANT

UN 1760, CORROSIVE LIQUID, N.O.S. (CONTAINS QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ICAO/IATA: ALKYLDIMETHYL, CHLORIDES / SULPHURIC ACID), 8, PG III

### 14.3 Transport hazard class(es).

Class(es): 8

## 14.4 Packing group.

Packing group: III

### 14.5 Environmental hazards.

Marine pollutant: Yes



Dangerous for the environment

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-B

### 14.6 Special precautions for user.

Labels: 8




Hazard number: 80 ADR LQ: 5 L IMDG LQ: 5 L ICAO LQ: 1 L

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

(in accordance with Regulation (EU) 2020/878)

# **Antialgas abrillantador**





### 14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

### **SECTION 15: REGULATORY INFORMATION.**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): E1

Information related to Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products:

Product Type	Group
Disinfectants and algaecides not intended for direct application to humans or animals	Disinfectants

Active substances	Concentration %
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	
CAS No: 68424-85-1	4
EC No: 270-325-2	
copper sulphate pentahydrate	
CAS No: 7758-99-8	1,5
EC No: 231-847-6	, and the second

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): nwg: Non-hazardous to water. (Autoclassified according to the AwSV Regulations)

Information on Annex I of Comission Delegated Regulation (EU) 2020/1737 of 14 July 2020 and Annex I of Regulation (EC) No. 273/2004 of the European Parliament and of the Council of 11 February 11 2004 on drug precursors:

CAS No	Name	Category
7664-93-9	sulphuric acid %	3

Annex I: List of scheduled substances.

Information on Annex I and Annex II of Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 20 2019 on the marketing and use of explosives precursors:

CAS No	Name	Annex
7664-93-9	sulphuric acid %	I

Annex I: Restricted explosives precursor.

Annex II: Reportable explosives precursors.

The make available, acquisition, introduction, possession or use of restricted explosives precursor by members of the general public is subject to a restriction as set out in Article 5(1) and (3) of the Regulation (EU) 2019/1148.

### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.

(in accordance with Regulation (EU) 2020/878)

# ASTRALPOOL 🔨

## **Antialgas abrillantador**

Version 1 Date of compilation: 25/04/2016 Page 11 of 12
Version 5 (replaces version 4) Revision date: 15/06/2022 Print date: 27/06/2022

H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Classification codes:

Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1 Aquatic Chronic 2 : Chronic effect to the aquatic environment, Category 2

Eye Dam. 1 : Serious eye damage, Category 1 Met. Corr. 1 : Corrosive to metals, Category 1 Skin Corr. 1A : Skin Corrosive, Category 1A Skin Corr. 1B : Skin Corrosive, Category 1B

### Changes regarding to the previous version:

- Modification of specific hazards (SECTION 2.3).
- Changes in the composition of the product (SECTION 3.2).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the accidental release measures (SECTION 6.1).
- Modifications in the accidental release measures (SECTION 6.2).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- Addition of abbreviations and acronyms (SECTION 16).

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data
Health hazards Calculation method
Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

### Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AwSV: Facility Regulations for handling substances that are hazardous for the water.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration.
PPE: Personal protection equipment.
IATA: International Air Transport Association.
ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

WGK: Water hazard classes.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

(in accordance with Regulation (EU) 2020/878)

# **Antialgas abrillantador**

Version 1 Date of compilation: 25/04/2016

Version 5 (replaces version 4) Revision date: 15/06/2022

Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).



Page 12 of 12

Print date: 27/06/2022

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.