(in accordance with Regulation (EU) 2020/878)

0130AZE-Bromo

Version 1 Date of compilation: 30/05/2019

Page 1 of 10 **Version 3 (replaces version 2)** Revision date: 10/02/2021 Print date: 27/11/2024

STRALPOOL

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: Bromo 0130A7F Product Code:

Chemical Name: bromochloro-5,5-dimethylimidazolidine-2,4-dione

CAS No: 32718-18-6 EC No: 251-171-5

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Desinfectant for pool water.

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

FLUIDRA COMMERCIAL, S.A.U. Company:

Address: Av. Alcalde Barnils, 69

City: 08174 Sant Cugat del Vallès (Barcelona) Spain

Province: Barcelona

Telephone: Tel:34 93 724 39 00 Fax:34 93 724 29 93

+34 93 713 41 11 Fax: E-mail: fds@inquide.com Web: www.astralpool.com

1.4 Emergency telephone number: +34 93 724 39 00 (Only available during office hours; Monday-Friday; 08:00-18:00)

Anti poisoning centre: ITALY (Rome): 06/305 43 43 ITALY (Milan): 02/66 10 10 29 SPAIN: +34 91 562 04 20

FRANCE (Paris): 01 40 05 48 48 FRANCE (Tolousse): 05 61 77 74 47 FRANCE (Marseille): 04 91 75 25 25

PORTUGAL: 808 250 143

BELGIQUE (Brussel): (+32) 070 245 245

Sweden: 112 - Begär Giftinformation (ask for Poisons Information)

Denmark (Giftlinjen): +45 8212 1212

Finland: 0800 147 111 Norway: +47 22 59 13 00

Cyprus: 1401

Greece: (0030) 2107793777

Netherlands (NVIC): +31 (0)88 755 8000

Romania: +4021 318 360 6 Biroul RSI Si Informare Toxicologica

Apelabil de luni pâna vineri, între orele 8.00-15.00

CAV accreditati: Roma +39 06 68 59 3726; Foggia +39 800 18 34 59; Napoli +39 081 54 53 333; Roma +39 06 49 97 80 00; Roma +39 06 30 54 343; Firenze +39 055 79 47 819; Pavia +39 0382 24 444; Milano +39 02 66 10 10 29; Bergamo +39 800 88

33 00; Verona +39 800 01 18 58.

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008:

Acute Tox. 4: Harmful if swallowed. Aquatic Acute 1: Very toxic to aquatic life.

Skin Corr. 1B: Causes severe skin burns and eye damage.

Skin Sens. 1: May cause an allergic skin reaction.

Ox. Sol. 2: May intensify fire; oxidiser.

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:

(in accordance with Regulation (EU) 2020/878)

0130AZE-Bromo

Version 1 Date of compilation: 30/05/2019

Page 2 of 10 Version 3 (replaces version 2) Revision date: 10/02/2021 Print date: 27/11/2024









STRALP001

Signal Word:

Danger

Hazard statements:

May intensify fire; oxidiser. H272 H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

Precautionary statements:

Keep out of reach of children. P102

P405 Store locked up.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P270 Do not eat, drink or smoke when using this product.

P261 Avoid breathing dust.

P280 Wear protective gloves/protective clothing/eye protection.

Wash hands thoroughly after handling. P264 P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use appropriate extinguishing products.

P273 Avoid release to the environment.

P391 Collect spillage.

Dispose of contents and/or container in accordance with hazardous waste regulations. P501

EUH statements:

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Contains:

bromochloro-5,5-dimethylimidazolidine-2,4-dione

Active substances:

bromochloro-5,5-dimethylimidazolidine-2,4-dione, 98%;

2.3 Other hazards.

The substance is not PBT

The substance is not vPvB


Substance does not have endocrine disrupting properties.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.


3.1 Substances.


Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 32718-18-6 EC No: 251-171-5	bromochloro-5,5-dimethylimidazolidine-2,4-dione	80 - 100 %	Acute Tox. 4, H302 - Aquatic Acute 1, H400 - Eye Dam. 1, H318 - Ox. Sol. 2, H272 - Skin Corr. 1B, H314 - Skin Sens. 1, H317	-



(in accordance with Regulation (EU) 2020/878)

0130AZE-Bromo





STRALP001

3.2 Mixtures.

Not Applicable.

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract.

SECTION 5: FIREFIGHTING MEASURES.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health. El producto puede provocar o facilitar la combustión de otros materiales.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.


Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

(in accordance with Regulation (EU) 2020/878)

0130AZE-Bromo





STRALP001



6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III):

		Qualifying quantity (tonnes) for the application of	
Code	Description	Lower-tier requirements	Upper-tier requirements
P8	OXIDISING LIQUIDS AND SOLIDS	50	200
E1	ENVIRONMENTAL HAZARDS - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1	100	200

7.3 Specific end use(s).

None in particular.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.


Concentration:	100 %
Uses:	Desinfectant for pool water.

(in accordance with Regulation (EU) 2020/878)

0130AZE-Bromo

Version 1 Date of compilation: 30/05/2019

Page 5 of 10 **Version 3 (replaces version 2)** Revision date: 10/02/2021 Print date: 27/11/2024



PPE: Filter mask for protection against gases and particles.

«CE» marking, category III. The mask must have a wide field of vision and an Characteristics:

anatomically designed form in order to be sealed and watertight.

EN 136, EN 140, EN 405 CEN standards:

Should not be stored in places exposed to high temperatures and damp environments before use. Special Maintenance:

attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.

Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach

Observations: the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols:

P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.

Filter Type needed:

Hand protection:

PPE: Protective gloves against chemicals. Characteristics:

«CE» marking, category III.

CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420

Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Maintenance:

Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or

Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Observations:

Always use with clean, dry hands.

Breakthrough time Material thickness Material: Neoprene > 480 (min.): (mm):

Eye protection:

Protective goggles against particle impacts. PPE:

Characteristics: «CE» marking, category II. Eye protector against dust and smoke.

CEN standards: EN 165, EN 166, EN 167, EN 168

Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should Maintenance:

be disinfected periodically following the manufacturer's instructions.

Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, Observations:

scraping etc.

Skin protection: PPE: Protective clothing.

«CE» marking, category II. Protective clothing should not be too tight or loose in Characteristics:

order not to obstruct the user's movements.

CEN standards:

In order to guarantee uniform protection, follow the washing and maintenance instructions provided by Maintenance:

the manufacturer.

The protective clothing should offer a level of comfort in line with the level of protection provided in Observations:

terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level

of activity and the expected time of use. Work footwear. PPE:

Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347

This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should Maintenance:

not be used by other people.

Work footwear for professional use includes protection elements aimed at protecting users against any Observations:

injury resulting from an accident

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Physical state: Solid Colour: White

Odour: Slightly halogen odour

Odour threshold: Not applicable/Not available due to the nature/properties of the product

Melting point: 156 - 163 °C

Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: 228 °C (Estimation based on the indication of the Regulation (CE)

Nº1272/2008.)

Flammability: Not applicable/Not available due to the nature/properties of the product

Lower explosion limit: Not applicable/Not available due to the nature/properties of the product



(in accordance with Regulation (EU) 2020/878)

0130AZE-Bromo

Version 1 Date of compilation: 30/05/2019

Version 3 (replaces version 2) Revision date: 10/02/2021



Page 6 of 10

Print date: 27/11/2024

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product Flash point: 95 $^{\circ}$ C (Estimation based on the indication of the Regulation (CE) N°1272/2008.) Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product pH: 3-5 (1%)

. Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

Solubility: 0.15g / 100 cm3

Hydrosolubility: Not applicable/Not available due to the nature/properties of the product Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 1.8 - 2.0

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

9.2 Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product

Explosive properties: Not applicable/Not available due to the nature/properties of the product

Oxidizing properties: Si

Dropping point: Not applicable/Not available due to the nature/properties of the product

Blink: Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

If the storage conditions are satisfied, does not produce dangerous reactions.

10.2 Chemical stability.

Unstable in contact with:

- Bases.

10.3 Possibility of hazardous reactions.

Warning! Do not use together with other products. May release dangerous gases (chlorine).

May intensify fire; oxidiser.

Neutralization can occur on contact with bases.

10.4 Conditions to avoid.

Avoid the following conditions:

- Contact with incompatible materials.
- Avoid contact with bases.

10.5 Incompatible materials.

Avoid the following materials:

- Bases.
- Flammable materials.
- Explosives materials.
- Toxic materials.
- Corrosive materials.

10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- Oxygen.
- Corrosive vapors or gases.
- Oxidizing gases or vapors.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

Splatters in the eyes can cause irritation and reversible damage.

Toxicological information.

(in accordance with Regulation (EU) 2020/878)

0130AZE-Bromo

Version 1 Date of compilation: 30/05/2019

Page 7 of 10 Print date: 27/11/2024 Version 3 (replaces version 2) Revision date: 10/02/2021

STRALP001

Nama	Acute toxicity			
Name	Туре	Test	Kind	Value
		LD50	Rat	485 mg/kg [1]
	Oral			
bromochloro-5,5-dimethylimidazolidine-2,4-dione		[1] FIFRA		
bromocnioro-5,5-dimediyiimidazolidine-z,4-dione	Dermal	LD50	Rat	> 2000 mg/kg
	Dermai			
	Inhalation			
CAS No: 32718-18-6 EC No: 251-171-5	2			

a) acute toxicity;

Product classified:

Acute toxicity (Oral), Category 4: Harmful if swallowed.

b) skin corrosion/irritation;

Product classified:

Skin Corrosive, Category 1B: Causes severe skin burns and eye damage.

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Product classified:

Skin sensitiser, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

i) aspiration hazard;

Not conclusive data for classification.

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

No information is available regarding the ecotoxicity.

12.2 Persistence and degradability.

No information is available regarding the biodegradability

No information is available on the degradability

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation.

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

(in accordance with Regulation (EU) 2020/878)

0130AZE-Bromo

Version 1 Date of compilation: 30/05/2019

Page 8 of 10 Print date: 27/11/2024 Revision date: 10/02/2021 **Version 3 (replaces version 2)**

STRALP001

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG. Transport documentation: Bill of lading Air: Transport by plane: ICAO/IATA. Transport document: Airway bill.

14.1 UN number or ID number.

UN No: UN3085

14.2 UN proper shipping name.

Description:

ADR/RID: UN 3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (CONTAINS BROMOCHLORO-5,5-DIMETHYLIMIDAZOLIDINE-2,4-DIONE), 5.1 (8), PG II, (E)

UN 3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (CONTAINS BROMOCHLORO-5,5-DIMETHYLIMIDAZOLIDINE-2,4-IMDG:

DIONE), 5.1 (8), PG II, MARINE POLLUTANT

UN 3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (CONTAINS BROMOCHLORO-5,5-

DIMETHYLIMIDAZOLIDINE-2,4-DIONE), 5.1 (8), PG II

14.3 Transport hazard class(es).

Class(es): 5.1

14.4 Packing group.

Packing group: II

14.5 Environmental hazards.

Marine pollutant: Yes



Dangerous for the environment

Transport by ship, FEm - Emergency sheets (F - Fire, S - Spills): F-A,S-Q

14.6 Special precautions for user.

Labels: 5.1, 8

-Continued on next page.-

(in accordance with Regulation (EU) 2020/878)

0130AZE-Bromo

Version 1 Date of compilation: 30/05/2019

Page 9 of 10 Version 3 (replaces version 2) Revision date: 10/02/2021 Print date: 27/11/2024

RALPOO





Hazard number: 58 ADR LQ: 1 kg IMDG LQ: 1 kg ICAO LQ: 2,5 kg

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR. Proceed in accordance with point 6.

14.7 Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Volatile organic compound (VOC) VOC content (p/p): 98 % VOC content: 1.764 g/l

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): P8,E1

Information related to Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products:

Product Type	Group
Disinfectants and algaecides not intended for direct application to humans or animals	Disinfectants

Active substances	Concentration %
bromochloro-5,5-dimethylimidazolidine-2,4-dione	
CAS No: 32718-18-6	98
EC No: 251-171-5	

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): WGK 2: Hazardous to water. (Autoclassified according to the AwSV Regulations)

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Classification codes:

Acute Tox. 4: Acute toxicity (Oral), Category 4

Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1

Eye Dam. 1 : Serious eye damage, Category 1 Ox. Sol. 2: Oxidising solid, Category 2 Skin Corr. 1B: Skin Corrosive, Category 1B Skin Sens. 1 : Skin sensitiser, Category 1

Changes regarding to the previous version:

(in accordance with Regulation (EU) 2020/878)

0130AZE-Bromo

Version 1 Date of compilation: 30/05/2019 Page 10 of 10 Version 3 (replaces version 2) Revision date: 10/02/2021 Print date: 27/11/2024

- Modification of specific hazards (SECTION 2.3).
- Modification in the firefighting measures (SECTION 5.2).
- Modifications in the accidental release measures (SECTION 6.1).
- Modifications in the accidental release measures (SECTION 6.2).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Change in the hazard classification (SECTION 11.1).
- Modification of the classification ADR/IMDG/ICAO/IATA/RID (SECTION 14).
- National legislative changes (SECTION 15.1).
- Addition of abbreviations and acronyms (SECTION 16).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AwSV: Facility Regulations for handling substances that are hazardous for the water.

CEN: European Committee for Standardization.

PPE: Personal protection equipment.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Code for Dangerous Goods.

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

WGK: Water hazard classes.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.